

1Å is the average H-H bond distance
e.g. H_2



Orbital representation:



LCAO

- Linear combination of atomic orbitals
- Combination of atomic orbitals of s- character gives molecular orbital called sigma molecular orbital (σ)

Recall:

As two hydrogen atoms come together, molecular hydrogen (H_2) is formed

$H\cdot \longrightarrow H{:}H \longleftarrow \cdot H$

Energy diagram of two hydrogen atoms interacting to form a bond:



1Å is the average H-H bond distance
e.g. H_2



Hybridization:

- Mixing of atomic orbitals (with the wrong geometry for bonding) to form hybrid orbitals with the correct geometry for bonding
- Will only happen for bonding



sp^3 Hybridization

- Single bonds in 2nd row elements
- Tetrahedral geometry
- Angle between two H atoms in methane: 109°, close to that with other elements
- Often free rotation around single bonds
- Overlap of atomic orbitals with s component gives sigma molecular orbital (bond)
- Each line in a structure represents 2 e^-
- Solid wedge ( ): Toward you / out of the page
- Dashed wedge ( ): Away from you / into the page
- Plain solid line ( ) : undefined geometry or in-plane



CH_4 - Methane



The red lines outline a tetrahedron
Black lines show the covalent bonds





sp² Hybridization

- Double bonds in the 2nd row
- Planar geometry
- Angle between two atoms: 120°
- No free rotation around double bonds because the p orbitals have to line up
- Overlap of atomic orbitals with s component gives sigma molecular orbital (bond)
- Overlap of p atomic orbitals with p component gives pi molecular orbital (bond)





*only depicting valence shell electrons (1s typically not included)



p + p → π molecular orbital

- sp^2 carbon is in planar geometry; all atoms are in planar





- All atoms are electronically stable
- All atoms are isoelectronic with a noble gas
  H → He ; C → Ne
- C-H bond → sp^2 + s
- C = C → one is sp^2 + sp^2 and one is p + p

sp Hybridization

- Triple bonds
- Linear geometry
- One sigma bond and two pi bonds
- No free rotation around triple bonds
- Angle between two atoms: 180°



e.g. Acetylene/Ethyne





Triple bond:
One sigma bond between the carbons plus two pi bonds formed through p_y and p_z

sigma (s of H and sp of C)



acetylene = ethyne

Hybridization (sp^3 vs sp^2)

- Sp^3 hybridized atoms have 4 "things" attached and has a tetrahedral geometry
- Sp^2 hybridized atoms have 3 "things" attached and has a planar geometry

Methane (CH_4)



sp^3 hybridization

Methyl Anion (CH_3^-)



sp^3 hybridization

Methyl Cation (CH_3^+)



sp^2 hybridization

Methyl Radical ($CH_3\bullet$)



sp^3 hybridization



Hybridization (sp^3 vs sp^2) cont.

Overlap of p orbitals to form pi (π) bonds precents free rotation around double bonds
e.g. Aldehyde



R= any group

The CH_2 is sp^3 hybridized, the atoms attached to it have a bond angle of 109º
The carbonyl carbon is sp^2 hybridized, the atoms attached to it have a bond angle of 120º
The oxygen contains two lone pairs (not drawn), it is sp^2 hybridized
The single C-C bond can freely rotate.

Size and Shape of Molecules: determined by bond lengths and bonding type

- Geometry is dictated based on filled orbitals moving as far apart as possible
- A bond length between hydrogen and a 2nd row element is approximately 1A

NOTE THE FOLLOWING (Estimated bond length between atoms)



1Å 1.5Å 1.35Å 1.25Å

X = C, O, N

Representation of Molecules

- Show only electrons in outer (valence) shell
- Non-bonding electrons (lone pairs) may or may not be shown
- Use element symbols, but carbon can be represented by point of angle or end of line
- Hydrogens and bonds to them from carbon are optional; show others.
- Each line in a structure represents 2 e^-
- Solid wedge ( ): Toward you / out of the page
- Dashed wedge ( ): Away from you / into the page
- Solid line (———): undefined geometry or in-plane

Examples:

1. **Propene (CH_3CHCH_2):**



2. **Tetrahydrofuran (THF)**



Chemical Formula: C_4H_8O
Molecular Weight: 72.11

Oxygen in the stable uncharged state forms two bonds with 2 lone pairs of electrons

Nitrogen in the stable uncharged state forms three bonds with 1 lone pair of electrons

- Functional Group in Tetrahydrofuran is ETHER



ETHER